Work Orde Thursday, May 1													Page 1
Revision ID:	D3436-9 Pad			Accept						Setup	Start Stop		
Start Date: Required Date: Reference:	5/12/2011 5/24/2011	Start Qty: 6.00 Req'd Qty: 6.00				Cust Item I Customer:	D:						
Approvals:	Process Plan	n:	Date:// <i>US- S</i>	Tooling: SPC (Y/N):			ate:			Run	Start Stop		/
Sequence ID/ Work Center II		Operation Description		Set Up/ Run Hours		Tool ID	Tool #	Plan Code	Accept Qty	t Re		Reject Number	Insp. Stamp
Draw Nbr	Revi	sion Nbr				٣							
D3436	Rev .	A											
Small Fab		Smail Fab Memo Cut & Pun	ich as per Dwg D3195	0.00	5			Į	1	5	4/0	5/1	3 6
110 QC Quality Control		QC6- Inspect dimensio	ns to drawing	0.00	5B	1165/	13		6				

120 Packaging

Identify as per dwg & Stock Location

0.00

So 1165/13

Packaging

Memo

0.00

W/O:			WO	RK ORDER CHANG	SES					
DATE	STEP	PRO	OCEDURE CHAN	IGE	Ву	D	ate	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							l			
Part No	:	PAR #:	Fault Categ	ory:	_ NCR: Ye	s No	DQA	:	_ Date: _	
	Re	solution:	Disposition	:	_ QA: N/C	Close	ed:		Date: _	
NCR:		,	WORK ORDE	R NON-CONFORM	ANCE (NO	CR)				
DATE	STEP	Description of NC			tion B		Verific		Approval	Approval
DAIL	3121	Section A	Initial Chief Eng	Action Description Chief Eng	Sig Da		Sectio	n C	Chief Eng	QC Inspector
				•						

Work Order ID 69599

Thursday, May 12, 2011 3:25:29 PM



Page 2

Item ID:

D3436-9

5/12/2011

QC:

Accept



Setup Start



Revision ID:

Item Name:

Pad

Required Date: 5/24/2011

Start Date:

Start Qty: 6.00

Req'd Qty: 6.00

Cust Item ID: Customer:

Tool ID

Reference:

Approvals:

Process Plan:

Date: Date: Tooling:

Date:

Date:

Tool # Plan

Code

Start

Run

Qty

Accept

Qty

Stop

Number

Stop

Reject Reject Insp.

Sequence ID/

Work Center ID

130

QC21- Final Inspection - Work Order Release

Operation

Description

Memo

Set Up/ **Run Hours**

SPC (Y/N):

0.00

0.00

Stamp

Quality Control

	-									
W/O:			W	ORK ORDER CHAN	GES	0000				
DATE	STEP	PRO	OCEDURE CH	ANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	-									
Part No	:	PAR #:	Fault Cate	egory:	NCR	: Yes 1	No DQ	A:	_ Date: _	
	Re	solution:	Disposition	on:	QA:	N/C Clo	sed:	<u></u>	Date: _	
NCR:			WORK ORE	ER NON-CONFORM	IANCE	(NCR))		-	
	OTED	Description of NC			ection B		Verifi	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	1	Sign & Date		tion C	Chief Eng	QC Inspector
							·			
		·								
									,	

Picklist Print

Thursday, May 12, 2011 3:25:34 PM

Work Order ID: 69599

Parent Item: D3436-9

Parent Item Name: Pad



Start Date: 5/12/2011

Required Date: 5/24/2011

Page 1

Start Qty: 6.00

Required Qty: 6.00

Г	n	m	m	en	te	•

IPP A□05.05.11□New issue□KJ/JLM□


Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item		Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3195	bber 1/8" thick	Manufactured	No			100	sf	102.5636	0.0382	92392 554	105	/3	
•				Location		Loc (<u>Otv</u>	Loc Code			,		
				MAT052		102.5635	8836		_		20-		
				42	122	102,563	3584			0,20	ノフフ		•

W/O:	<u> </u>		\\/	ORK ORDER CHANG	2FS									
DATE	STEP	PRO	OCEDURE CH		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector					
		·												
		_												
Part No	:	PAR #:	Fault Cate	egory:	_ NCR: Yes	No DQ	QA: Date:							
	R	esolution:	Disposition	on:	QA: N/C C	losed:		Date: _						
NCR:			WORK ORE	ER NON-CONFORM	ANCE (NC	₹)								
DATE	STEP	Description of NC	Initial		tion B		cation	Approval	Approval					
		Section A	Chief Eng	Action Description Chief Eng	Date	Sect	ion C	Chief Eng	QC Inspector					



DESIGI N	1 1B	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA					
CHECK	ED#	APPROVED #	DRAWING NO.	REV. A SHEET 1 OF 4				
DATE			TITLE	SCALE				
	05.0)4.28	MAINTENANCE STEP	1:4				
Α	0	5.04.28	NEW ISSUE					

RELEASE 05.05.27



NOTES:


- 1) POSITION PARTS AS PER JIGS DT8772 AND DT8773
 2) WELD PER DART QSI 004
 3) FILLET BOTH TOP AND BOTTOM EDGES OF CLAMP ALONG 2.38 I.D. SECTION TO 0.03 RADIUS TO PREVENT SCORING AND SCRATCHING OF SKID CROSS TUBE
 4) FINISH: POWDER COAT WHITE GLOSS (4.3.5.2) PER DART QSI 005 4.3
 5) APPLY BLACK ANTI-SKID PAINT AS SHOWN PER DART QSI 005 4.4
 6) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 7) ALL DIMENSIONS ARE IN INCHES


COPYRIGHT © 2005 BY DART AEROSPACE LTD.

	•													
W/O:			W	ORK ORDER CHANG	ES				,					
DATE	STEP	PRO	DCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector					
			-											
Part No	:	PAR #:	gory:	_ NCR: Yes	No DQ	A:	Date:							
	R	esolution:	Dispositio	n:	_ QA: N/C C	losed:		Date: _						
NCR:		•	WORK ORD	ER NON-CONFORM	ANCE (NC	R)								
DATE	STEP	Description of NC			ion B		cation		Approval					
	0.2.	Section A	Initial Chief Eng	Action Description Chief Eng	Date	0000	ion C	Chief Eng	QC Inspector					




DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA							
CHECKED	APPROVED	D3436	REV. A SHEET 2 OF 4						
DATE		TITLE	SCALE						
05.0	04.28	MAINTENANCE STEP	1:2						





D3436-1 CLAMP

1) MATERIAL: AISI 4130N STEEL TUBING PER MIL-T-6736, AMS 6371, 6360, 6361, 6362, 6373 OR 6374 (REF. DART SPEC. M4130N-T2500W063)



\$0.38 W Val 5 95 0.049

D3436-5 BUSHING

2) MATERIAL: AISI 4130N STEEL TUBING PER MIL-T-6736, AMS 6371, 6360, 6361, 6362, 6373 OR 6374 (REF. DART SPEC. M4130N-T0375W049)

RELEASED 05-05 27 -4

D3436-1/-5, GENERAL NOTES:


- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 4) ALL DIMENSIONS ARE IN INCHES 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

W/O:			WC	RK ORDER CHANG	ES					•	
DATE	STEP	PRO	OCEDURE CHAI	NGE	Ву		Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
						_					
Part No	:	PAR #:	Fault Cate	gory:	_ NCR: Y	es N	o DQ	A :	_ Date: _		
	Re	solution:	Dispositio	າ:	QA: N/C Closed: Date:						
NCR:			WORK ORDI	R NON-CONFORM	ANCE (N	CR)					
DATE	STEP	Description of NC	Corrective Action Section E				Verific	ation	Approval	Approval	
DATE	SIEP	Section A	Initial Chief Eng	Action Description Chief Eng		gn & ate	Secti	Section C Chief Eng	QC Inspector		



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA					
CHECKED	APPROVED	DRAWING NO. D3436	REV. A SHEET 3 OF 4				
DATE		TITLE	SCALE				
05.0	4.28	MAINTENANCE STEP	1:2				




Ø 1.00 0.049

D3436-3 LEFT STEP

(D3436-4 RIGHT STEP - OPPOSITE, NOT SHOWN)

1) MATERIAL: AISI 4130N STEEL TUBING PER MIL-T-6736, AMS 6371, 6360, 6361, 6362, 6373 OR 6374 (REF. DART SPEC. M4130N-T1000W049)



D3436-7 CAP

MATERIAL: AISI 4130N STEEL SHEET PER MIL-S-18729, AMS6350 OR AMS 6351 (REF. DART SPEC. M4130N-S050)

RELEASED 05-05-27

D3436-3/-7, GENERAL NOTES:


- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 4) ALL DIMENSIONS ARE IN INCHES 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

COPYRIGHT @ 2005 BY DART AEROSPACE LTD.


W/O:			W	ORK ORDER CHANG	GES					<u></u>
DATE	STEP	PRO	CEDURE CHA	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							:			
								÷	·	
								-		
Part No		PAR #:	Fault Cate	gory:	NCR	l: Yes N	lo DQA		Date:	
	R	esolution:	Dispositio	n:	QA:	N/C Clo	sed:		Date: _	
NCR:		V	ORK ORD	ER NON-CONFORM	ANCE	(NCR)				
DATE	STEP	Description of NC	Initial	Corrective Action Sec Action Description	tion B	Sign &	Verifica		Approval	Approval
		Section A	Chief Eng	Chief Eng		Date	Section	n C	Chief Eng	QC Inspector
			·							
*1					-				*	
				·						
			-					,		
		·								
	4					,			,	
The state of the s										




DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
CHECKED	APPROVED	DRAWING NO. D3436	REV. A SHEET 4 OF 4			
05.04.28		MAINTENANCE STEP	SCALE 1:1			



u 10 495 27





NOTES:

- 1) MATERIAL: 60 DUROMETER NEOPRENE SHEET, 1/8" THICK (REF. DART SPEC. M-NEO60-S.125)
 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 3) ALL DIMENSIONS ARE IN INCHES

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

W/O:			W	ORK ORDER CHAN	GES								
DATE	STEP	PRO		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector					
								,					
Part No:PAR #:		PAR #:	Fault Category: No			ICR: Yes No DQA: Date:							
	Re	esolution:	ıtion: Disposition:					A: N/C Closed: Date:					
NCR:		\	WORK OR	DER NON-CONFORM	IANCE	(NCR)						
DATE	STEP	Description of NC	Corrective Action Section B			Verificatio			Approval	Approval			
	SILF	Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Sect	ion C	Chief Eng	QC Inspector			
		•											